

## ORGANIC

Peroxide Storage Cabinets



PATENTED CONCEALED  
STAY-OPEN SEQUENTIAL  
SELF-CLOSING DOOR  
MECHANISM

**RIGHT DOOR STAYS OPEN  
FOR EASIER LOADING AND  
UNLOADING!**  
7 LOCKING POSITIONS  
BETWEEN 20 – 90 DEGREES



Trafalgar range of safety cabinets:

- Flammable Liquid | Corrosive Substance
- Toxic Substance | Forklift Gas Cylinder
- Organic Peroxide | Oxidising Agent
- Aerosol | Emergency Information
- Fire Hose Reel | Fire Extinguisher
- Fire Hydrant Booster | Fire Alarm Cabinet

# ORGANIC

## Peroxide Storage Cabinets

# Key Features & Benefits

**Trafalgar** is a long established and privately owned Australian company whose name is synonymous with the supply of hazardous chemical storage cabinets. Trafalgar has been making safety cabinets for over 50 years and will continue to do so into the future. We are proud to be fighting hard to keep manufacturing alive in Australia and competing against cheap and inferior imported products. From our manufacturing plant in Sydney's west, Trafalgar's range of **Organic Peroxide Storage Cabinets** are all locally made, built in accordance with Australian Standards and come in a range of sizes. A full range of spare parts, including additional shelves and closing mechanisms are available.



### Organic Peroxide Storage Cabinets

**SUITABLE FOR SAFE STORAGE OF** organic peroxide materials as defined in the Australian Dangerous Goods Code.

All cabinets comply with **AS2714-2008** as follows:-

1. Each cabinet is marked with the name and address of the manufacturer.
2. The maximum storage capacity.

**Trafalgar has the expertise and capabilities to custom manufacture safety cabinets.** Contact us to discuss your specific requirements.

# ORGANIC

## Peroxide Storage Cabinets

# Product Overview


Isocyanate free two-pack epoxy coating inside and out, providing a hardwearing finish.

Danger alert sign indicating specific hazardous substances stored in cabinets.

Ventilation port, measuring 55mm in diameter.

Fully welded deep liquid tight sump capable of containing the entire contents of the cabinet.

Internal shelf brackets that fully interlock with shelves.



1.1mm thick double skin wall construction, with 40mm air gap between walls to provide thermal insulation.


Ventilation port, measuring 55mm in diameter.

Continuous piano hinges ensuring smooth closure of door.

Full instructions on usage of the cabinet attached to the inside of the door.

Built in ground connector

Round corners on door.



Fully adjustable galvanised shelves included, perforated for leakages and to permit free air flow. Easily replaced if damaged. Additional shelving available for purchase.



Concealed self-closing door mechanism for more durability and usable space. Patented self closing sequential door mechanism on double door cabinets allows for right door to stay open at 7 locking positions between 20 – 90° for easier loading and unloading.



Easy grip 'D' handle for easy opening of cabinet.

Self closing non latching doors held shut by magnetic latches, which release in the event of an internal buildup of pressure.

# ORGANIC

Peroxide Storage Cabinets

# Ordering Information

ORGANIC PEROXIDE STORAGE CABINETS		
Capacity (L)	<b>30</b>	<b>100</b>
Capacity (Units)	1 x 20L or 6 x 2.5L Tins	2 x 20L or 12 x 2.5L Tins
Part Number	TCOPS30L	TCOPS60L
Shelves	2	3
External Height (mm)	1070	1830
External Width (mm)	520	1115
External Depth (mm)	475	525
Internal Height (mm)	800	1580
Internal Width (mm)	425	1015
Internal Depth (mm)	375	375
Weight (kg)	62	187



30L



100L

Trafalgar reserves the right to change specifications without notice. Please check with your supplier at the time of order. The information contained in this brochure was correct at the time of print. E&OE. Published 20.06.2018